CATALOGUE















CONTENT

GENERAL	
Get to Know us	5
Our Facility	7
Our History	9
Why Universal	11
PAINT BRUSHES	
Brand Position	14
Brush Selector	15
Elite Series	17
Premium Series	18
Value Series	20
Speciality Brushes	22
PAINT ROLLERS	
Roller Selector	25
Microfiber	27
Acrylic	28
Mohair	29
Polyester	30
Polyester	31
Epoxy Flow	32
MINI ROLLERS	
Microfiber	34
Polyester	35
Acrylic	36
Mohair	37

38

Epoxy flow

ROLLERS FRAMES	
Easy Grip	41
Classic	41
Easy Grip	42
Classic	42

ANCILARIES	
Roller & Mini Roller Trays	45
Extension Poles	45
Filling Set	45
Abrassive Sheets	46
Abrassive Rolls	46

KITS	
9" Kit	49
Mini Roller Kit	50





UNIVERSA L BRUSHWARES

Pakistan's No.01 Paint Tools Company

IN PAINTERS WE TRUST

At Universal Brushwares, we hold painters in high regard for their expertise, craftsmanship and feedback. They push us to constantly improve our products as they immediately recognize and understand quality. Listening to painters has allowed us to develop coating applicators that surpass their expectations. With over 75 years of experience, Universal Brushwares has continued to value the painter and their contributions to our products.

FOR PAINT APPLICATORS & TOOLS





GET TO KNOW US

For the 75+ years we've been in business, professional painters have asked for our products by name, because their livelihoods depend on our reliability.

Founded in 1947, Universal Brushwares is Pakistan's largest manufacturer of paint tools, and the painter's first choice for brushes, rollers and accessories. Over the last 7 ½ decades we have grown into a brand renowned for superior product quality and service and have become the partner of choice for retailers all over the country.

As old as Pakistan, the Universal Brushwares family is extremely proud of our rich heritage and most importantly, of our longstanding relationships with generations of painters.

At Universal Brushwares, we strive to stay ahead of the curve by delivering superior quality products, introducing new, innovative tools and continuously reinvesting in our business to improve our capabilities & customer service.

Above everything, we at Universal
Brushwares put the needs of the painter first
by delivering world-class tools to make the
painter's hard work speak for itself.








CUSTOMER CENTRIC PREMIUM QUALITY PRODUCT INNOVATOR

Founded in 1947 as the pioneer local manufacturer of paint tools in Pakistan, our company was driven by the vision of bringing color to the newly formed nation. Over the past 75+ years, through the efforts of three generations and a relentless pursuit of innovation, drive, and devotion, Universal Brushwares has established itself as a customer-centric leader in the industry, renowned for premium quality products and a commitment to innovation.

OUR **FACILITY**





We manufacture our brushes using a combination of manual craftsmanship and automation. High-end products are exclusively handcrafted with meticulous attention to detail, while budget-friendly brushes are produced

using a combination of both.



We utilize thermofusion technology for all our paint rollers, which involves heating the roller core to a softened state. With expert precision, we then fuse the paint fabric onto the pipe, resulting in a robust and durable bond between the two materials.

UNIVERSAL BRUSHWARES has experienced significant growth, with a factory now spanning over 100,000 square feet and strategically located in one of Pakistan's top industrial zones. To ensure superior quality, the company utilizes state-of-the-art European machinery for critical production processes.

With a robust manufacturing capacity, Universal is capable of producing over **8,000,000 paint brushes** and **7,500,000 paint rollers** annually. Additionally, the plastics division has the capacity to produce more than **600 tons per year**, while the filament division can also extrude over **600 tons per year**. These combined facilities allow the company to create a wide range of product combinations and variations, all under one roof.




In addition to our expertise in injection molding for brush handles and parts, we also excel in extruding pipes and wedges. With our state-of-the-art facilities, premium materials, and skilled team, we are capable of delivering top-quality extruded products alongside our injection molding capabilities.




We take pride in producing high-quality filaments using unique production methods that enhance filament performance. Our expertise includes tapering filaments using chemical reactions, resulting in some of the finest filaments available in the market.


OUR HISTORY



TODAY: UNIVERSAL BRUSHWARE

UNIVERSAL BRUSHWARES remains the oldest, largest and most respected paint brush and roller manufacturing company in Pakistan. UNIVERSAL continues to launch cutting-edge innovative products, expand its product offering, and export to a growing number of countries globally.







WHY UNIVERSAL?



75 YEARS OF KNOW HOW

Universal Brushwares products are manufactured to the most exact standards, with the greatest care given to each detail at every step of the process. Universal prides itself in using only the highest quality materials so that every time a painter purchases the product, he can be certain it will deliver the same superior results.

QUALITY CONTROL AND ASSURANCE

At Universal Brushwares, we prioritize quality in every aspect of our operations and company culture. As an ISO Halal certified company, we have implemented robust quality management systems to ensure efficiency and effectiveness. Our cutting-edge ERP system helps us streamline and control all our processes for maximum efficiency.

We also have a dedicated quality control team that undergoes continuous training and retraining to ensure that we meet the highest quality benchmarks. Our commitment to quality is ingrained in our DNA, and we consistently strive to exceed customer expectations by delivering products of unmatched quality.





VERTICAL INTEGRATION

At Universal Brushwares, we have achieved vertical integration in critical production processes, including filament extrusion, tapering, plastic injection molding, pipe, and wedge. This allows us to have control over the quality of raw materials and reduces dependence on external vendors. By having these processes in-house, we can ensure consistent quality and maintain high standards throughout our production cycle.



SUPPLY CHAIN

Universal Brushwares has established long-term relationships with key suppliers worldwide. By maintaining multiple suppliers, we ensure comprehensive vendor options, which contribute to quality and price stability. This enables us to offer competitive prices to our customers while maintaining our commitment to quality and reliability.

ENVIROMENTAL RESPONSIBILTY

At Universal Brushwares, we prioritize environmental sustainability. We have taken steps to adjust our energy mix, with 33% coming from renewable sources. This significant reduction in our carbon footprint demonstrates our commitment to preserving the earth's resources for future generations. We believe in playing our part in promoting sustainability and taking responsible actions towards protecting the environment.





SOCIAL RESPONSIBILITY

Universal Brushwares is dedicated to making a positive impact in our community. Through our sister concern, Kazim Trust, a private non-profit trust established in 2008, we provide support to children with learning differences, such as ADHD and dyslexia. We believe in giving back and contributing towards the betterment of society, especially in areas where we can make a meaningful difference in the lives of those in need.



PAINT BRUSHES

BRAND **POSITIONING**

UNIVERSAL BRUSHWARES has implemented a 3-tier product positioning strategy to provide clarity to our end-users about the varying qualities of our products. This approach ensures that painters have a clear understanding of the quality level of a Universal Tool, allowing them to make informed choices based on their specific needs.



ELITE

Our 'Best' product range is specifically crafted to provide longevity and deliver a world-class finish. Made with superior raw materials, these brushes are designed to meet the high standards of professional painters. The soft grip handle ensures comfort during extended use, making them a top choice for professional painters who value both performance and comfort in their tools.

PREMIUM

These brushes are crafted with longevity and a world-class finish in mind, ensuring they can withstand frequent use without compromising performance. These brushes are built to last and provide exceptional results. Additionally, the soft grip handle offers comfort even during extended painting sessions, ensuring a smooth and comfortable painting experience.





VALUE

Designed for painters who prioritize speed and economy in their projects. Our brushes are an excellent value for disposable use, providing high value and performance for limited use applications. These brushes are crafted to deliver efficient results while keeping costs in mind, making them ideal for projects where disposable brushes are preferred.

HOW TO RECOGNIZE A PROFESSIONAL BE

FILAMENT & FILL WEIGHT

FILAMENT: Synthetic materials formed into filaments through a multi-step process. Can be solid or hollow, tapered or level & tipped and flagged. Hollow filament is most suited for water-based paints and solid filament ideal for oil-based paints.

FILL WEIGHT: Pinch the filaments to see how well the brush a has been filled. Too little fill weight in the brush will lead to Fish Mouth causing paint splatter as there will be less control. Found in low quality brushes to reduce cost.

FERRULE

Metal band that holds the filament and handle to Attached by nails. Since brushes interact with wa use rust proof metals such as stainless steel or r

KEEPER

Used to store, maintain & preserve the paint brus have a tapered shape to help keep preserve the

FINISH

The best professional paintbrushes are tapered to a fine edge to further improve cutting, coverage and finish. The tips of the filaments will also be flagged. Un-tapered or level filament reduces the price of the brush, but sacrifices capacity, coverage and control. Look for a smooth feel of the filaments on the top of the brush. The softer the feel the smoother the finish.



TAPERED VS UN-TAPERED

Tapered means that the length of the filament is thicker at one end & thinner at the opposite end. This ensures even release of paint and prevents paint from being dumped onto the surface.





TIPPING & FLAGGING

Tipping is a process by which the ends of the filament are sanded into pencil point like tips. This gives the working e a slanted appearance and provides a smooth & even paint release. Flagging is the process by which the tip of the filament is split as shown in the illustration. This significar increases paint coverage & reduces brush marks, during decorating & improves overall paintbrush performance.

CHOOSE THE RIGHT BRUSH






























































RUSH



COMFORTABLE HANDLE

Comfort is essential! The painter should never feel strain to his back, neck or arms, allowing him to easily spin to change working side with ease. Can be made of wood or plastic but finish is critical. Good wooden handles are solid so they do not break with usage. A coating of varnish is applied to ensure smoothness. Plastic handles should be made of strong plastic which will not crack if the brush is dropped.

EPOXY

High grade adhesive that locks filaments firmly in place. An indirect way to test filament bonding with ferrule is to check for filament shedding. Make an 'L' shape by stretching out your index finger and thumb. Use your thumb bang the heel of the brush several times. Then glide your hand over the brush head to see if any lose filaments are released.

FILAMENTS LEVEL, MIXING & FILLING

A brush which has greater variants of filament lengths will bend more gradually in response to brush pressure, allowing finer control and less paint splatter.

Make sure the filaments have been filled in a straight line and the appearance of the brush looks linear. Good filling of the brush will not have any diagonal or angled filaments in the head of the brush.

SPACER

Well placed wooden strips that create a reservoir to carry paint and improve pick-up & release.

With a wide variety of brush sizes and types available, it can be overwhelming to know which brush to choose. The key is to match the brush to the project or surface being painted. Professional painters often use multiple brushes for each project, including a large size brush for coverage and a smaller one for detailed areas or furniture pieces. Understanding the appropriate brush size and type for different applications is essential in achieving optimal results in painting projects.

ULTIMATE

ELITE SERIES

PROFESSIONAL SERIES SUPERIOR & LONG LASTING

- Professional-grade design.
- Ultra Tapered synthetic blend filaments.
- Excellent filament shape retention for durability.
- Smooth paint flow for efficiency.
- Rust-free stainless steel ferrule.
- Comfortable soft grip handle.
- Smooth and even finish on surfaces.

WIDTH

2.0" / 50 mm

3.0" / 75mm

4.0" / 100mm

5.0" / 125mm



ARTICLE NO.

EB50/1

EB75/1

EB100/1

EB125





20mm





Grip

12

12

THICKNESS OUTER LENGTH CASE QTYS 12 13/18mm 60mm 13/18mm 66mm 12 13/18mm

73mm

92mm



SUPERFINE

PREMIUM SERIES

BUDGET PROFESSIONAL SERIES SPEED + FINISH

- Designed for painters seeking a good reputation
- Semi-professional quality with good durability
- Filament shape retention enhances product life
- Formulated for smooth paint flow and increased productivity
- Rust-free stainless steel ferrule for long-lasting performance
- High-quality plastic handle for comfort during extended use
- Provides a smooth and even finish on various surfaces











JIL

Water

Tanered

ARTICLE NO. WIDTH **THICKNESS OUTER LENGTH CASE QTYS** SF13 0.5" / 13mm 12 10mm 47mm SF25 1.0" / 25mm 47mm 13mm 12 SF38 1.5" / 38mm 47mm 12 13mm 2.0" / 50 mm SF50/1 13/18mm 60mm 12 SF50S/1 2.0" / 50mm 13mm 60mm 12 SF63 2.5" / 63mm 13mm 60mm 12 SF75/1 3.0" / 75mm 13/18mm 66mm 12 SF100/1 4.0" / 100mm 13/18mm 73mm 12 SF125 5.0" / 125mm 20mm 92mm SF03VS 2.0"/2.0"S/3.0 13/18mm 60/66mm 12 SF05VS 1.0"/1.5"/2.0"/2.0"S/3.0" 13/18mm 47/60/66mm



SYNTHETIC BRISTLE

PREMIUM SERIES

BUDGET PROFESSIONAL SERIES NATURAL BRISTLE IMITATION

- Designed for painters seeking a good reputation
- Semi-professional quality with good durability
- Filament formulation replicates hog bristle
- Offers excellent paint pick-up and release
- Rust-free stainless steel ferrule for durability.
- Comfortable high-quality plastic handle.
- Ensures a smooth, even finish on surfaces.
- Evenly distributes varnish for optimal results.











Vater Tip_l

Tipping & Flagging

Varnish

ARTICLE NO.	WIDTH	THICKNESS	OUTER LENGTH	CASE QTYS
SB13	0.5" / 13mm	10mm	47mm	12
SB25	1.0" / 25mm	13mm	47mm	12
SB38	1.5" / 38mm	13mm	47mm	12
SB50/1	2.0" / 50 mm	13/18mm	60mm	12
SB50S/1	2.0" / 50mm	13mm	60mm	12
SB63	2.5" / 63mm	13mm	60mm	12
SB75/1	3.0" / 75mm	13/18mm	66mm	12
SB100/1	4.0" / 100mm	13/18mm	73mm	12
SB125	5.0" / 125mm	20mm	92mm	12
SB03VS	2.0"/2.0"S/3.0	13/18mm	60/66mm	12
SB05VS	1.0"/1.5"/2.0"/2.0"S/3.0"	13/18mm	47/60/66mm	12



BASIC+

VALUE SERIES

VALUE SERIES: ALL ROUNDER

- Designed for Painters who want a job to be fast & economical
- Excellent value for disposable use
- High value & performance for limited use
- Synthetic bristles for easy maintenance
- Suitable for water-based and oil-based paints
- Available in various sizes for different painting projects









ARTICLE NO.	WIDTH	THICKNESS	OUTER LENGTH	CASE QTYS
BP13	0.5" / 13mm	10mm	47mm	12
BP25	1.0" / 25mm	13mm	47mm	12
BP38	1.5" / 38mm	13mm	47mm	12
BP50/1	2.0" / 50 mm	13/18mm	60mm	12
BP50S/1	2.0" / 50mm	13mm	60mm	12
BP63	2.5" / 63mm	13mm	60mm	12
BP75/1	3.0" / 75mm	13/18mm	66mm	12
BP100/1	4.0" / 100mm	13/18mm	73mm	12
BP125	5.0" / 125mm	20mm	92mm	12
BP03VS	2.0"/2.0"S/3.0	13/18mm	60/66mm	12
BP05VS	1.0"/1.5"/2.0"/2.0"S/3.0"	13/18mm	47/60/66mm	12



BASIC

VALUE SERIES

VALUE SERIES: LATEX AND WATER PAINTS

- Designed for Painters who want a job to be fast & economical
- Excellent value for disposable use
- High value & performance for limited use
- Synthetic bristles for easy maintenance
- Suitable for water-based
- Available in various sizes for different painting projects







Water

Limited Life Light Weight

ARTICLE NO.	WIDTH	THICKNESS	OUTER LENGTH	CASE QTYS
BP13	0.5" / 13mm	10mm	47mm	12
BP25	1.0" / 25mm	13mm	47mm	12
BP38	1.5" / 38mm	13mm	47mm	12
BP50/1	2.0" / 50 mm	13/18mm	60mm	12
BP50S/1	2.0" / 50mm	13mm	60mm	12
BP63	2.5" / 63mm	13mm	60mm	12
BP75/1	3.0" / 75mm	13/18mm	66mm	12
BP100/1	4.0" / 100mm	13/18mm	73mm	12
BP125	5.0" / 125mm	20mm	92mm	12
BP03VS	2.0"/2.0"S/3.0	13/18mm	60/66mm	12
BP05VS	1.0"/1.5"/2.0"/2.0"\$/3.0"	13/18mm	47/60/66mm	12



MASONORY BRUSH

SPECIALITY BRUSHES

SPECIALITY SERIES: MASONARY BRUSH

- Exterior rough surface paint: brick, concrete, stucco.
- Stiff, durable filaments for rough textures.
- Sturdy handle for comfortable grip and control.
- Easy to clean and reuse for future masonry projects.
- Pro-grade for masonry: durable & efficient.









ater Exterior

Concrete Block

ARTICLE NO.	WIDTH	THICKNESS	OUTER LENGTH	CASE QTYS
MB100	4.0" / 100mm	18mm	73mm	12
MB125	5.0" / 125mm	20mm	92mm	12





PAINT ROLLERS



HOW TO RECOGNIZE A PROFESSIONAL RO

FABRIC DENSITY

High quality rollers will use thick dense fabrics. Don't confuse this with pile height (which is the total length of the fabric piles from the root of the fabric to the tip).



Short pile length rollers can also have very high density. As a general rule, short pile height are better for smooth finishes. medium for semi smooth, and long piles for rough and textured finishes.

PUFF

This releases the paint onto the surface. The put should look like one continuous fabric, without any gaps. Having gaps will lead to an inconsistent finish on the wall.

The starting point of the fabric onto the core is usually the weakest point on the puff. If it begins to unravel the remaining puff will also unravel.

Make sure it is strongly fasted to the

BONDING METHOD: THE

High quality roles always use Therm fabric onto the core. This technique core, meiting it slightly & then quick onto it. This guarantees the highes lowes risk of

Base of the roller cover. High quality of Polypropylene (PP). PP cores never lose their shape, and change extremely low To check it core should look white in colour of the colour of th

ROLLER COVER FACTS



KNITTED


Knitted covers are attached to the core by a single pass through. This is an 'open sich' process that creates good pick up. release & enhances coverage of the roller.



WOVEN

Woven fabrics are individually attached to the core by two pass throughs. This 'double lock produces a smooth & Int-free finish and shed-resistant performance in paints.

MICROFIBER fabric is a high-quality material used in paint rollers for smooth and even paint application. It offers excellent paint absorption and release, is durable, and ideal for various painting projects. Its efficiency and effectiveness make it a must-have choice for achieving professional results.




WOOVEN POLYESTER roller fabric is a durable, versatile, and cost-effective material used in paint rollers. It offers excellent paint pick-up, even release, and is resistant to shedding. Suitable for both water-based and oil-based paints, polyester fabric provides smooth application and minimal linting, making it a popular choice for DIYers and professional painters.



KNITTED POLYESTER are low shedding fabric roller covers and are known for their paint pickup and can ease of cleaning for reuse. With an open stitch design, they have excellent paint pickup capabilities, making them efficient for applying water-based paints and primers. However, due to their light shedding, they are recommended for use with water-based paints and primers only.



DLLER



ACRYLIC roller fabric is a high-quality material known for its excellent paint absorption and smooth paint application. It is durable, resistant to shedding, and compatible with various types of paints, making it a popular choice for DIYers and professional painters.



MOHAIR roller fabric is a premium material used in paint rollers known for its luxurious finish and superior paint application on smooth surfaces. It offers smooth paint release, and minimal shedding. Mohair fabric is durable and ideal for applying oil-based or solvent-based paints. Its exceptional performance and quality make it a top choice for achieving a flawless and professional paint finish.



A **TEXTURE ROLLER** is a specialized paint roller designed for creating unique textures and patterns on walls, ceilings, or other surfaces. It typically features a durable foam cover with specific texture patterns. They are commonly used in decorative painting, faux finishing, and interior design applications to achieve professional-looking textured finishes.



MICROFIBER



MICROFIBER

- Picks up & releases more paint than the leading competitive microfiber
- Improved construction means fewer fibers in the paint for smoother results
- Unique fiber blend grips & holds paint, virtually eliminating spatter
- Results show reduced stipple when compared to like fabrics
- This all-rounder roller is perfect for most paint jobs
- Available in different pile heights to suit different project needs
















Thermo-Shed BondedResistant

Dry Wall

ARTICLE NO.	DESCRIPTION	SIZE/LENGTH	PILE/NAP	DIAMETER	CASE
M38405C	1 pcs	4" / 10 cm	10mm - 3/8"	38mm	50
M38705C	1 pcs	7" / 18 cm	10mm - 3/8"	38mm	40
M38905C	1 pcs	9" / 23 cm	10mm - 3/8"	38mm	30
M381005C	1 pcs	10" / 25 cm	10mm - 3/8"	38mm	30
M44405C	1 pcs	4" / 10 cm	10mm - 3/8"	44mm	50
M44705C	1 pcs	7" / 18 cm	10mm - 3/8"	44mm	40
M44905C	1 pcs	9" / 23 cm	10mm - 3/8"	44mm	30
M441005C	1 pcs	10" / 25 cm	10mm - 3/8"	44mm	30
M38405P	3 pcs	4" / 10 cm	10mm - 3/8"	38mm	10
M38905P	3 pcs	9" / 23 cm	10mm - 3/8"	38mm	10
M44405P	3 pcs	4" / 10 cm	10mm - 3/8"	44mm	10
M44905P	3 pcs	9" / 23 cm	10mm - 3/8"	44mm	10





ACRYLIC



ACRYLIC

- Designed for smooth application of acrylic paints
- Durable and with high absorption
- Provides excellent coverage and finish
- An all-rounder fabric which is shed-free
- Suitable for most paint jobs














I hermo-Bonded

Shed Resistant

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
A38405C	1 pcs	4" / 10 cm	7mm - 1/4"	38mm	50
A38705C	1 pcs	7" / 18 cm	7mm - 1/4"	38mm	40
A38905C	1 pcs	9" / 23 cm	7mm - 1/4"	38mm	30
A381005C	1 pcs	10" / 25 cm	7mm - 1/4"	38mm	30
A44405C	1 pcs	4" / 10 cm	7mm - 1/4"	44mm	50
A44705C	1 pcs	7" / 18 cm	7mm - 1/4"	44mm	40
A44905C	1 pcs	9" / 23 cm	7mm - 1/4"	44mm	30
A441005C	1 pcs	10" / 25 cm	7mm - 1/4"	44mm	30
A38405P	3 pcs	4" / 10 cm	7mm - 1/4"	38mm	10
A38905P	3 pcs	9" / 23 cm	7mm - 1/4"	38mm	10
A44405P	3 pcs	4" / 10 cm	7mm - 1/4"	44mm	10
A44905P	3 pcs	9" / 23 cm	7mm - 1/4"	44mm	10





MOHAIR



MOHAIR

- Designed for smooth, even application of coatings (varnishes, lacquers, enamels).
- Made with high-quality mohair fabric for superior performance
- Mohair fibers provide excellent smooth finish Ideal for achieving a fine, glossy finish
- Shed-resistant fabric minimizes lint and debris for a professional result
- Easy to clean and maintain for long-term use.



















Interior

Thermo-**Bonded**

Resistant


Fine Finish

Dry Wall

Metal

Wood

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
V38405C	1 pcs	4" / 10 cm	5mm - 3/16"	38mm	50
V38705C	1 pcs	7" / 18 cm	5mm - 3/16"	38mm	40
V38905C	1 pcs	9" / 23 cm	5mm - 3/16"	38mm	30
V381005C	1 pcs	10" / 25 cm	5mm - 3/16"	38mm	30
V44405C	1 pcs	4" / 10 cm	5mm - 3/16"	44mm	50
V44705C	1 pcs	7" / 18 cm	5mm - 3/16"	44mm	40
V44905C	1 pcs	9" / 23 cm	5mm - 3/16"	44mm	30
V441005C	1 pcs	10" / 25 cm	5mm - 3/16"	44mm	30
V38405P	3 pcs	4" / 10 cm	5mm - 3/16"	38mm	10
V38905P	3 pcs	9" / 23 cm	5mm - 3/16"	38mm	10
V44405P	3 pcs	4" / 10 cm	5mm - 3/16"	44mm	10
V44905P	3 pcs	9" / 23 cm	5mm - 3/16"	44mm	10





POLYESTER



POLYESTER KNITTED

- High density durable polester knitted fabric
- Minimal linting for excellent results
- High paint holding capacity, reducing the need for frequent reloading
- Recommended for flat and slightly uneven surfaces
- Easy to clean with water and mild detergent for hassle-free cleanup












r |

Exterio

Thermo-Bonded

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
P38405C	1 pcs	4" / 10 cm	10mm - 3/8"	38mm	50
P38705C	1 pcs	7" / 18 cm	10mm - 3/8"	38mm	40
P38905C	1 pcs	9" / 23 cm	10mm - 3/8"	38mm	30
P381005C	1 pcs	10" / 25 cm	10mm - 3/8"	38mm	30
P44405C	1 pcs	4" / 10 cm	10mm - 3/8"	44mm	50
P44705C	1 pcs	7" / 18 cm	10mm - 3/8"	44mm	40
P44905C	1 pcs	9" / 23 cm	10mm - 3/8"	44mm	30
P441005C	1 pcs	10" / 25 cm	10mm - 3/8"	44mm	30
P38405P	3 pcs	4" / 10 cm	10mm - 3/8"	38mm	10
P38905P	3 pcs	9" / 23 cm	10mm - 3/8"	38mm	10
P44405P	3 pcs	4" / 10 cm	10mm - 3/8"	44mm	10
P44905P	3 pcs	9" / 23 cm	10mm - 3/8"	44mm	10





POLYESTER



POLYESTER WOVEN

- Durable polyester fiber for efficient paint holding and release
- Compatible with most water-based and oil-based paints, stains, and varnishes for versatile use
- Shed free for excellent results
- High paint holding capacity, reducing the need for frequent reloading
- No skip coverage with fewer trips to the paint tray
- Easy to clean with water and mild detergent for hassle-free cleanup



ARTICLE NO.

C44905P













DESCRIPTION | SIZE / LENGTH

Exterior

PILE/NAP

15mm - 5/8"

Thermo-**Bonded**

Shed Resistant

DIAMETER CASE

10

44mm



C38405C	1 pcs	4" / 10 cm	15mm - 5/8"	38mm	50
C38705C	1 pcs	7" / 18 cm	15mm - 5/8"	38mm	40
C38905C	1 pcs	9" / 23 cm	15mm - 5/8"	38mm	30
C381005C	1 pcs	10" / 25 cm	15mm - 5/8"	38mm	30
C44405C	1 pcs	4" / 10 cm	15mm - 5/8"	44mm	50
C44705C	1 pcs	7" / 18 cm	15mm - 5/8"	44mm	40
C44905C	1 pcs	9" / 23 cm	15mm - 5/8"	44mm	30
C441005C	1 pcs	10" / 25 cm	15mm - 5/8"	44mm	30
C38405P	3 pcs	4" / 10 cm	15mm - 5/8"	38mm	10
C38905P	3 pcs	9" / 23 cm	15mm - 5/8"	38mm	10
C44405P	3 pcs	4" / 10 cm	15mm - 5/8"	44mm	10

9" / 23 cm

3 pcs



EPOXY FLOW



EPOXY FLOW

- Designed to apply epoxy coatings smoothly and evenly, ensuring a professional finish
- Made durable for epoxy's tough demands.
- Available in various sizes to accommodate different surface areas and project requirements
- Provides efficient coverage and minimizes streaks or bubbles in the epoxy coating.
- Can be used for both epoxy floor coatings and epoxy paint applications.













Resistant




Coatings





ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
E38405C	1 pcs	4" / 10 cm	8mm - 5/16"	38mm	50
E38705C	1 pcs	7" / 18 cm	8mm - 5/16"	38mm	40
E38905C	1 pcs	9" / 23 cm	8mm - 5/16"	38mm	30
E381005C	1 pcs	10" / 25 cm	8mm - 5/16"	38mm	30
F44405C	1 ncs	4" / 10 cm	8mm - 5/16"	44mm	50

E38405C	1 pcs	4" / 10 cm	8mm - 5/16"	38mm	50
E38705C	1 pcs	7" / 18 cm	8mm - 5/16"	38mm	40
E38905C	1 pcs	9" / 23 cm	8mm - 5/16"	38mm	30
E381005C	1 pcs	10" / 25 cm	8mm - 5/16"	38mm	30
E44405C	1 pcs	4" / 10 cm	8mm - 5/16"	44mm	50
E44705C	1 pcs	7" / 18 cm	8mm - 5/16"	44mm	40
E44905C	1 pcs	9" / 23 cm	8mm - 5/16"	44mm	30
E441005C	1 pcs	10" / 25 cm	8mm - 5/16"	44mm	30
E38405P	3 pcs	4" / 10 cm	8mm - 5/16"	38mm	10
E38905P	3 pcs	9" / 23 cm	8mm - 5/16"	38mm	10
E44405P	3 pcs	4" / 10 cm	8mm - 5/16"	44mm	10
E44905P	3 pcs	9" / 23 cm	8mm - 5/16"	44mm	10







MICROFIBER



MICROFIBER - SMOOTH

- Specifically designed for achieving a smooth finish with minimal texture
- Microfiber fabric holds and releases paint efficiently, reducing splatters
- Compact size and design make it ideal for small or detailed painting projects
- Provides a lint-free and streak-free finish for professional-looking results









Oil

/ater

Shed Resistant

Fine Finish

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
MF0207	1, 2, 10 pcs	2" / 5 cm	7mm - 1/4"	06mm	50
MF0307	1, 2, 10 pcs	3" / 7 cm	7mm - 1/4"	06mm	50
MF0407	1, 2, 10 pcs	4" / 10 cm	7mm - 1/4"	06mm	50
MF0607	1, 2, 10 pcs	6" / 15 cm	7mm - 1/4"	06mm	50

MICROFIBER - SEMI SMOOTH



- Specifically designed for achieving a semi smooth finish with light texture
- Provides a balanced level of smoothness and texture
- Microfiber fabric holds and releases paint efficiently, reducing splatters
- Compact size and design make it ideal for small or detailed painting projects
- Provides a lint-free and streak-free finish for professional-looking results









. Water

Resistant

Lightly Textured Dry Wall

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
MF0210	1, 2, 10 pcs	2" / 5 cm	10mm - 3/8"	06mm	50
MF0310	1, 2, 10 pcs	3" / 7 cm	10mm - 3/8"	06mm	50
MF0410	1, 2, 10 pcs	4" / 10 cm	10mm - 3/8"	06mm	50
MF0610	1, 2, 10 pcs	6" / 15 cm	10mm - 3/8"	06mm	50



MICROFIBER - ROUGH

- Specifically designed for rough finishes
- Provides a great coverage a consistent textured finsih
- Microfiber fabric holds and releases paint efficiently, reducing splatters
- Compact size and design make it ideal for small or detailed painting projects
- Provides a lint-free and streak-free finish for professional-looking results









Shed

Resistant Textured Plaster or Stucco

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
MF0220	1, 2, 10 pcs	2" / 5 cm	20mm - 3/4"	06mm	50
MF0320	1, 2, 10 pcs	3" / 7 cm	20mm - 3/4"	06mm	50
MF0420	1, 2, 10 pcs	4" / 10 cm	20mm - 3/4"	06mm	50
MF0620	1, 2, 10 pcs	6" / 15 cm	20mm - 3/4"	06mm	50

POLYESTER



POLYESTER WOVEN - SEMI SMOOTH

- Specifically designed for achieving a semi smooth finish with light texture
- Durable polyester fiber for efficient paint holding and release
- Compatible with most water and oil based paints, stains, and varnishes
- Shed free for excellent results
- No skip coverage with fewer trips to the paint tray











Resistant

Lightly **Textured Dry** Wall

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
PS0210	1, 2, 10 pcs	2" / 5 cm	10mm - 3/8"	06mm	50
PS0310	1, 2, 10 pcs	3" / 7 cm	10mm - 3/8"	06mm	50
PS0410	1, 2, 10 pcs	4" / 10 cm	10mm - 3/8"	06mm	50
PS0610	1, 2, 10 pcs	6" / 15 cm	10mm - 3/8"	06mm	50



POLYESTER WOVEN - SEMI ROUGH

- Specifically designed for rough finishes
- Durable polyester fiber for efficient paint holding and release
- Compatible with most water and oil based paints, stains, and varnishes
- Shed free for excellent results
- No skip coverage with fewer trips to the paint tray









Shed

Heavily Resistant Textured Plaster or Stucco

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
PR0215	1, 2, 10 pcs	2" / 5 cm	15mm - 5/8"	06mm	50
PR0315	1, 2, 10 pcs	3" / 7 cm	15mm - 5/8"	06mm	50
PR0415	1,2,10 pcs	4" / 10 cm	15mm - 5/8"	06mm	50
PR0615	1, 2, 10 pcs	6" / 15 cm	15mm - 5/8"	06mm	50

POLYESTER KNITTED - SEMI SMOOTH



- High density durable polester knitted fabric
- Minimal linting for excellent results
- High paint holding capacity, reducing the need for frequent reloading
- Recommended for flat and slightly uneven surfaces





Lightly **Textured Dry** Wall

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
PK0210	1, 2, 10 pcs	2" / 5 cm	10mm - 3/8"	06mm	50
PK0310	1, 2, 10 pcs	3" / 7 cm	10mm - 3/8"	06mm	50
PK0410	1, 2, 10 pcs	4" / 10 cm	10mm - 3/8"	06mm	50
PK0610	1, 2, 10 pcs	6" / 15 cm	10mm - 3/8"	06mm	50

ACRYLIC



ACRYLIC - SEMI SMOOTH

- Specifically designed for achieving a semi smooth finish with light texture
- Designed for smooth application of acrylic paints
- Durable and with high absorption with excellent coverage and finish
- An all-rounder fabric which is shed-free suitable for most paint jobs









Resistant

Textured Dry Wall

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
AS0207	1, 2, 10 pcs	2" / 5 cm	7mm - 1/4"	06mm	50
AS0307	1, 2, 10 pcs	3" / 7 cm	7mm - 1/4"	06mm	50
AS0407	1, 2, 10 pcs	4" / 10 cm	7mm - 1/4"	06mm	50
AS0607	1, 2, 10 pcs	6" / 15 cm	7mm - 1/4"	06mm	50

MOHAIR



MOHAIR - ULTRA SMOOTH

- Designed for ultra smooth and even application of coatings
- Made with high-quality mohair fabric for superior performance
- Mohair fibers for excellent, smooth, glossy finish
- Shed-resistant fabric minimizes lint and debris for a professional result





Shed



Resistant

Fine Finish

ARTICLE NO.	DESCRIPTION	SIZE /LENGTH	PILE/NAP	DIAMETER	CASE
US0205	1, 2, 10 pcs	2" / 5 cm	5mm - 3/16"	06mm	50
US0305	1, 2, 10 pcs	3" / 7 cm	5mm - 3/16"	06mm	50
US0405	1, 2, 10 pcs	4" / 10 cm	5mm - 3/16"	06mm	50
US0605	1, 2, 10 pcs	6" / 15 cm	5mm - 3/16"	06mm	50

EPOXY FLOW



EPOXY FLOW

- Smoothly applies epoxy coatings for a pro finish.
- Built tough to handle epoxy's harsh chemicals.
- Ensures even coverage, no streaks or bubbles.
- Ideal for floors and paint with epoxy.











Fine Finish Resistant

Epoxy Coatings

ARTICLE NO.	DESCRIPTION	SIZE/LENGTH	PILE/NAP	DIAMETER	CASE
EF0208	1, 2, 10 pcs	2" / 5 cm	8mm - 5/16"	06mm	50
EF0308	1, 2, 10 pcs	3" / 7 cm	8mm - 5/16"	06mm	50
EF0408	1, 2, 10 pcs	4" / 10 cm	8mm - 5/16"	06mm	50
EF0608	1, 2, 10 pcs	6" / 15 cm	8mm - 5/16"	06mm	50



ROLLERS FRAMES





EASY GRIP

- Roller frame with a rubber handle for comfortable and ergonomic grip
- Designed to reduce hand fatigue during extended painting sessions
- Rubber handle provides a secure and slip-resistant grip for precise control
- Durable construction for long-lasting performance
- Compatible with most standard roller covers
- Compatible with most standard rotter covers
- Cage frame made with of 5 galvanized wires
- Available in 4", 6", 7" and 9" with diameters of 1.50" and 1.75"





Cage



Grip

ARTICLE NO.	DESCRIPTION	SIZE	DIAMETER	CASE
FR3807T	1 pcs	7" / 18 cm	38mm	25
FR4407T	1 pcs	7" / 18 cm	44mm	25
FR3809T	1 pcs	9" / 23 cm	38mm	25
FR4409T	1 pcs	9" / 23 cm	44mm	25
FR3810T	1 pcs	10" / 25 cm	38mm	25
FR4410T	1 pcs	10" / 25 cm	44mm	25



CLASSIC

- Roller frame with a plastic handle for lightweight and easy handling
- Ergonomically designed for comfortable grip during painting tasks
- Durable plastic construction for long-lasting performance
- Compatible with most standard roller covers
- Suitable for both professional painters and DIY enthusiasts
- Cage frame made with of 5 galvanized wires
- Available in 4", 6", 7" and 9" with diameters of 1.50" and 1.75"





ARTICLE NO. DESCRIPTION SIZE DIAMETER CASE FR3804P 4" / 10 cm 50 1 pcs 38mm FR4404P 1 pcs 4" / 10 cm 44mm 50 FR3807P 7" / 18 cm 38mm 25 1 pcs FR4407P 1 pcs 7" / 18 cm 44mm FR3809P 25 1 pcs 9" / 23 cm 38mm FR4409P 9" / 23 cm 25 44mm 1 pcs FR3810P 10" / 25 cm 38mm 25 1 pcs FR4410P 1 pcs 10" / 25 cm 44mm 25




EASY GRIP

- Mini Roller frame with a rubber handle for comfortable and ergonomic grip
- Designed to reduce hand fatigue during extended painting sessions
- Rubber handle provides a secure and slip-resistant grip for precise control
- Durable construction for long-lasting performance
- Available in 4", 6", 7" and 9" with diameters of 1.50" and 1.75"



ARTICLE NO.	DESCRIPTION	SIZE	DIAMETER	CASE
FM25410T	1 pcs	254mm	4" / 10 cm	50
FM42005T	1 pcs	420mm	2" / 05 cm	50
FM42007T	1 pcs	420mm	3" / 07 cm	50
FM42010T	1 pcs	420mm	4" / 10 cm	50
FM42015T	1 pcs	420mm	6" / 15 cm	50
FM58010T	1 pcs	580mm	4" / 10 cm	50
FM58015T	1 pcs	580mm	6" / 15 cm	50



CLASSIC

- Mini Roller frame with a plastic handle for lightweight and easy handling
- Ergonomically designed for comfortable grip during painting tasks
- Durable plastic construction for long-lasting performance
- Suitable for both professional painters and DIY enthusiasts
- Available in 4", 6", 7" and 9" with diameters of 1.50" and 1.75"

ARTICLE NO.	DESCRIPTION	SIZE	DIAMETER	CASE
FM25410P	1 pcs	254mm	4" / 10 cm	50
FM42005P	1 pcs	420mm	2" / 05 cm	50
FM42007P	1 pcs	420mm	3" / 07 cm	50
FM42010P	1 pcs	420mm	4" / 10 cm	50
FM42015P	1 pcs	420mm	6" / 15 cm	50
FM58010P	1 pcs	580mm	4" / 10 cm	50
FM58015P	1 pcs	580mm	6" / 15 cm	50







ROLLER & MINI ROLLER TRAYS

- Paint tray designed for use with paint rollers & Mini Rollers
- Durable and lightweight construction for easy handling
- Deep well to hold a sufficient amount of paint for efficient painting
- Ribbed design for even distribution of paint on roller covers
- Suitable for use with most standard paint roller covers

ARTICLE NO.	DESCRIPTION	DIMENSION	CAPACITY	CASE
TR01P	1 pcs	33x26cm	0.50 Gln	50
TR02P	1 pcs	25x13cm	0.12 Gln	50



EXTENSTION POLES

- Extension pole for paint rollers allows for extended reach while painting
- Available in 2 sizes (10 Foot and 6 Foot)
- Adjustable length to customize the height for different painting tasks
- Made from durable materials for long-lasting performance
- Saves time and effort by eliminating the need for ladders or scaffolding
- Compatible with most standard paint roller frames

ARTICLE NO.	DESCRIPTION	LENGTH	STAGE	CASE
EP06S	1 pcs	2 meters	2	24
EP10S	1 pcs	3 meters	2	24



FILLING SETS

- Fills and repairs small holes, cracks in walls, wood, and more
- Offers smooth, professional, seamless results
- Ideal for decorators and DIY enthusiasts seeking quality filling tools

ARTICLE NO.	DESCRIPTION	LENGTH	CASE
FS04P	4 Pcs	4,6,8,10cm	24



ABRASSIVE SHEETS

- For sanding and smoothing wood, metal, plastic, drywall, etc
- Available in different grit sizes for different levels of abrasion and surface finishing
- Made with high-quality abrasive materials for efficient and effective sanding
- Provides a smooth and even sanding result with minimal scratches or marks
- Suitable for both wet and dry sanding applications, depending on the material and desired result

GRIT	DESCRIPTION	LENGTH	MATERIAL	CASE
80	1 Pkt -100 sheets	9"x11"	Silicon Carbide	6 Pkt
100	1 Pkt -100 sheets	9"x11"	Silicon Carbide	6 Pkt
120	1 Pkt -100 sheets	9"x11"	Silicon Carbide	6 Pkt
150	1 Pkt -100 sheets	9"x11"	Silicon Carbide	6 Pkt
220	1 Pkt -100 sheets	9"x11"	Silicon Carbide	6 Pkt
320	1 Pkt -100 sheets	9"x11"	Silicon Carbide	6 Pkt



ABRASSIVE ROLLS

- Sand and smooth surfaces like wood, metal, plastic, drywall
- Available in various grit sizes for different finishes
- High-quality abrasive materials for efficient sanding
- Long roll format, cut to desired length
- For wet and dry sanding, material-dependent

GRIT	DESCRIPTION	LENGTH	MATERIAL	CASE
80	1 Roll - 25 meter	96mm	Silicon Carbide	6 Pkt
100	1 Roll - 25 meter	96mm	Silicon Carbide	6 Pkt
120	1 Roll - 25 meter	96mm	Silicon Carbide	6 Pkt
150	1 Roll - 25 meter	96mm	Silicon Carbide	6 Pkt
220	1 Roll - 25 meter	96mm	Silicon Carbide	6 Pkt
320	1 Roll - 25 meter	96mm	Silicon Carbide	6 Pkt





9" KIT



ELITE - 10 PCS KIT

- Microfiber fabric holds and releases paint efficiently, reducing splatters
- Shed free for excellent results
- High Quality Paint Brush with Ultra Tapered synthetic blend filaments

ARTICLE NO.	DESCRIPTION
9" ROLLER FRAME	1 PCS
9" ROLLER SLEEVE	1 PCS
4" SHORT MINI FRAME	1 PCS
4" MINI ROLLER SLEEVE	3 PCS
2.5" PAINT BRUSH	1 PCS
1.5" PAINT BRUSH	1 PCS
1.0" MASKING TAPE	1 PCS
PAINTTRAY	1 PCS

PREMIUM - 10 PCS KIT

- Acrylic Shed Free Fabric for excellent coverage and finish.
- Give smooth finish and suitable for most paint job
- Synthetic Bristle Paint Brush for best use in Oil & Water based paint





VALUE - 10 PCS KIT

- Durable Polyester Fibers with minimum linting & excellent results
- Recommended for flat and slightly uneven surfaces
- Light handle paint brush Provides a confort grip & consistent finish



ARTICLE NO.	DESCRIPTION
9" ROLLER FRAME	1 PCS
9" ROLLER SLEEVE	1 PCS
4" SHORT MINI FRAME	1 PCS
4" MINI ROLLER SLEEVE	3 PCS
2.5" PAINT BRUSH	1 PCS
1.5" PAINT BRUSH	1 PCS
1.0" MASKING TAPE	1 PCS
PAINTTRAY	1 PCS

MINI ROLLER KIT



ELITE - 6 PCS KIT

- Custom roller for a semi-smooth, lightly textured finish
- Compatible with most water and oil based paints, stains, and varnishes
- High Quality paint brush for corner and edges

ARTICLE NO.	DESCRIPTION
4" SHORT MINI FRAME	1 PCS
4" MINI ROLLER SLEEVE	3 PCS
1.5" PAINT BRUSH	1 PCS
PAINT TRAY	1 PCS



PREMIUM - 6 PCS KIT

- Acrylic Fabric for Semi Smooth finish
- Durable and high absorption fabric with excellent coverage
- Synthetic Bristle Paint Brush which can be use with variety of paint types

ARTICLE NO.	DESCRIPTION
4" SHORT MINI FRAME	1 PCS
4" MINI ROLLER SLEEVE	3 PCS
1.5" PAINT BRUSH	1 PCS
PAINT TRAY	1 PCS



VALUE - 6 PCS KIT

- - High density durable polyester knitted fabric
- - Minimal linting for excellent results
- - High Value and perfromance paint brush for limited use

ARTICLE NO.	DESCRIPTION
4" SHORT MINI FRAME	1 PCS
4" MINI ROLLER SLEEVE	3 PCS
1.5" PAINT BRUSH	1 PCS
PAINT TRAY	1 PCS





Address

Plot No. LE-07-08-A8 Korangi Creek Industrial Park ST-1, Sector 38, Korangi Karachi, Pakistan.



+92-213-8892041 + 92-(0)300-0806544



inquiry@unibrush.com



www.unibrush.com